

Dotworkz D Series Enclosures & Accessories

D2



Model	Standard	Heater & Blower	Solar Heater & Blower	Tornado	Ring of Fire	COOLDOME™
Ordering Codes	D2-BASE	D2-HB-MVP	D2-HB-SOLAR	D2-TR-MVP	D2-RF-MVP	D2-CD D2-CD-24V
MSRP	\$322	\$549	\$579	\$629	\$749	\$1,097 / \$1,197
Description	D2 Enclosures provides heavy-duty protection to PTZ cameras from the rigors of outdoor exposure, indoor/outdoor vandalism and physical damage.	Heater & Blower is ideal in weather conditions ranging from 30F (-1°C) to 95F (35°C). Designed for cold, warm temperate climates.	D2 Solar Heater & Blower is the most versatile solar camera protection system available. A low-wattage heater "ring" applies direct heating to the camera & sensitive electronic components.	Tornado provides high-flow circulation around cameras & sensitive hardware, reducing hotspot buildup. Designed for humid, wet & warm climates.	"Ring of Fire" heating and de-icing system prevents cameras from damage & visual impairments. Designed for cold, icy climates.	COOLDOME™ Active Cooling system is engineered for hot climates where damage due to heat is possible. Protects cameras and other sensitive electronics components.
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC* / 12VDC
Weight	9lbs	12lbs	11lbs	12lbs	12lbs	15lbs
Shipping ²	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"

D3

(60% larger)



Model	Standard	Heater & Blower	Solar Heater & Blower	Tornado	Ring of Fire	COOLDOME™
Ordering Codes	D3-BASE	D3-HB-MVP	D3-HB-SOLAR	D3-TR-MVP	D3-RF-MVP	D3-CD
MSRP	\$489	\$749	\$779	\$779	\$929	\$1,449
Description	D2 provides heavy-duty protection to PTZ cameras from the rigors of outdoor exposure, vandalism and physical damage. Designed for indoor vandal protection.	Heater & Blower is ideal in weather conditions ranging from 30F (-1°C) to 95F (35°C). Designed for cold, warm temperate climates.	D3 Solar Heater & Blower is the most versatile solar camera protection system available. A low-wattage heater "ring" applies direct heating to the camera & sensitive electronic components.	Tornado provides high flow circulation around the camera and sensitive hardware, reducing hotspot buildup. Designed for humid, wet and warm climates.	Popular "Ring of Fire" Heating and de-icing system prevents cameras from damage and visual impairments. Designed for cold, icy climates.	Dual Tower COOLDOME™ thermoelectric Active Cooling for installations that require heat damage protection. Engineered for the world's hottest locations.
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC* / 12VDC
Weight	10lbs	13lbs	13lbs	13lbs	13lbs	16lbs
Shipping ²	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"

NEW

D-Series Options & Accessories

NVR Module



NVR Inside



NVR Inside


Now available for integration with both the D2 & D3 Series Enclosures, Dotworkz line of XERO NVR Edge Recorder Modules are ideal for indoor & outdoor remote recording deployments.

PoE



NVR-XERO-POE500

Solar Systems



SOLAR ECLIPSE

24hr Off-Grid Solar System
2+ Hours Sunlight.
SOLAR-ECLIPSE

SOLAR BREEZE

24hr Off-Grid Solar System
4+ Hours Sunlight.
SOLAR-BREEZE



Dotworkz line of off Solar Systems for remote monitoring.
Available for both D2 & D3 Series Enclosures

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product. (*optional step up required)

¹ Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

² Shipping Dimensions are shipping boxes sizes and may have slight variations.

innovative

remote video solutions

Dotworkz S-Type Series Enclosures & Accessories

S-Type



Available in LC and MVP version

Model	Standard	Heater & Blower	Solar Heater & Blower
Ordering Codes	ST-BASE	ST-HB-MVP / ST-HB-LC	ST-HB-SOLAR
MSRP	\$199	\$449 / Call for price	\$484
Description	The S-Type outdoor camera protection system is designed for all brands of traditional "brick" or static cameras. The S-Type housing utilizes all the features of our popular D-Series products into a complete air/water-tight system solution for today's sensitive CCTV, megapixel, HDTV or other long body cameras.	Two models S-Type Heater & Blower: "contract / low cost" or our premium MVP version for cost effective temperate climate protection while offering the same features of our popular "extreme" climate kits. The ST-HB models feature IP67 rated, non-metallic / non-corrosive, airtight outdoor camera protection solution.	The Solar S-Type Heater & Blower is the most versatile solar application outdoor housing/camera protection system on the market. To combat the cold, the unit's low wattage ring goes around the camera for direct heating. The blower remains on at all times, keeping cameras cool and fog free.
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC
Weight	13lbs	13lbs	16lbs
Shipping ²	24" x 14" x 10"	24" x 14" x 10"	24" x 14" x 10"

S-Type



Model	Tornado	Ring of Fire	COOLDOME™
Ordering Codes	ST-TR-MVP	ST-RF-MVP	ST-CD / ST-CD-24V
MSRP	\$509	\$639	\$789 / \$889
Description	The S-Type Tornado features two high flow internal fans to dissipate internal heat build up. The ST-TR environmental kit is engineered for hot, humid marine or coastal locales, featuring a non-metallic/non-corrosive, impact resistant, airtight, water-tight system IP67 solution for cameras of all brands & sizes.	The S-Type Ring of Fire is designed for camera protection in the coldest and wettest climates. The Ring of Fire features a 360° de-icing system to ensure camera lens visibility and internal camera/component longevity. The ST-RF features IP67 protection levels, non-metallic airtight, water-tight solution.	The Actively Cooled S-Type COOLDOME™ is a complete airtight, water-tight IP67 rated solution for CCTV, megapixel, HDTV or other long body sensitive cameras with room for wireless radios, cellular routers, encoders and NVR devices by reducing internal damaging heat buildup. Designed for the world's toughest and hottest climates.
Power / MVP (Multi Volt Platform)	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 12VDC / 24VDC output: 12VDC / 24VDC
Weight	16lbs	16lbs	19lbs
Shipping ²	24" x 14" x 10"	24" x 14" x 10"	24" x 14" x 10"

NEW

S-Type Options & Accessories

NVR Module



NVR Inside



Now smaller and more powerful than ever, the XERO-ULTRA is easily paired with all Dotworkz S-Type enclosures. Ideal for remote edge recording, mobile transportation, quick deployment surveillance systems, or anywhere network camera recording and management performance is required.

NVR-XERO-ULT

Solar Systems



SOLAR ECLIPSE

24hr Off-Grid Solar System
2+ Hours Sunlight.
SOLAR-ECLIPSE

SOLAR WIND

24hr Off-Grid Solar System
4+ Hours Sunlight.
SOLAR-WIND



Dotworkz line of off Solar Systems for remote monitoring.

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.

1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

2 Shipping Dimensions are shipping boxes sizes and may have slight variations.

Dotworkz NVR Line

		
Model	XERO ULTRA	XERO POE
Ordering Codes	NVR-XERO-ULT	NVR-XERO-POE500 / NVR-XERO-POE1000
Description	XERO ULTRA Module Edge Recorder available in both 500GB & 1TB models, Windows Embedded, Intel Atom	XERO POE Module Edge Recorder available in both 500GB & 1TB models, Windows Embedded, Dual Core CPU
MSRP	\$1,599/\$1,799	\$4,249/\$4,499
Size	500GB/1TB	500GB/1TB
OS	Windows Embedded	Windows Embedded
Weight	1.7lbs	8lbs
Dimensions	5" x 5" x 1.3"	9" x 8.3" x 3.2"

				
Model	2TB-BASE	4TB-BASE	8TB-ELITE	12TB-ELITE
MSRP	\$3,999	\$4,449	\$8,199	\$8,199
Description	Open Platform NVR - Supports ONSSI, Milestone, AXIS, Sony, Avigilon, Exacqvision	Open Platform NVR - Supports ONSSI, Milestone, AXIS, Sony, Avigilon, Exacqvision	Open Platform NVR - Supports ONSSI, Milestone, AXIS, Sony, Avigilon, Exacqvision	Open Platform NVR - Supports ONSSI, Milestone, AXIS, Sony, Avigilon, Exacqvision
Size	2TB	4TB	8TB	12TB
OS	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)
RAID Controller	Embedded	Embedded	Dedicated + BB	Dedicated + BB
Form Factor	1U	1U	1U	1U
Weight	35lbs	35lbs	35lbs	35lbs
Dimensions	1.7" x 17.2" x 19.8"	1.7" x 17.2" x 19.8"	1.7" x 17" x 26"	1.7" x 17" x 26"

NVR Line Suggested Accessories

Power Pack



KT-CDR3
D3 XERO Outdoor Power
Pack Pole Mount Kit - protects
outdoor power supply.

More info on page 4

enclosure sold separately

Integration Kits



KT-XERO
XERO Integration Kit for
installing XERO IP Edge
Recorder inside the D Series
& S-Type Enclosures

More info on page 4

NVR ControlAPP Interface

All servers include our pre-installed ControlAPP Resource Software and advanced technical support from our staff to ensure simple, seamless and successful video surveillance recording.



ControlAPP home screen




ControlAPP VMS screen



					
Model	12TB-BOP	24TB-BOP	36TB-BOP	8TB-ELITE-SAS	12TB BOP IP Recorder
MSRP	\$13,149	\$16,249	\$17,899	\$10,349	\$18,799
Description	Dual Quad XEON Power, Enterprise Grade Hard Drives, Redundant Power	Dual Quad XEON Power, Enterprise Grade Hard Drives, Redundant Power	Dual Quad XEON Power, Enterprise Grade Hard Drives, Redundant Power	Enterprise Grade Hard Drives with Serial Attached SCSI for Handling Multiple HD-Video Streams	Enterprise Grade Hard Drives with Serial Attached SCSI for Handling Multiple HD-Video Streams
Size	12TB	24TB	36TB	8TB	12TB
OS	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)	Embedded Server 2008 R2 (64 bit)
RAID Controller	Dedicated + BB	Dedicated + BB	Dedicated + BB	Dedicated + BB	Dedicated + BB
Form Factor	2U	2U	2U	1U	2U
Weight	88lbs	88lbs	35lbs	35lbs	80lbs
Dimensions	3.43" x 17.57" x 32"	3.43" x 17.57" x 32"	3.43" x 17.57" x 32"	1.7" x 17" x 26"	3.43" x 17.57" x 32"



More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.
1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

Dotworkz Accessories

Brackets											
Model	EZ LOCK Pole Mount Bracket	Pole Mount Angle Correction Plate	Pole Mount Extended Pack	Component Mounting Plate	Raised Rear Accessory Plate	Corner Mount	D-Series 4' Parapet Arm	Adjustable Parapet Mount	Emergency Callbox Mount	S-Type STRONG ARM	Two Sled Mount
Product #	BR-MPM1	BR-MPM1-AC	BR-MPM2	BR-ACC1	BR-ACC2	BR-CNR1	BR-PSA1	BR-APM1	BR-ECB1	BR-STWP	BR-2CSM
MSRP	\$62	\$95	\$84	\$39	\$42	\$102	\$565	\$629	\$459	\$110	Call for price
Weight	2lbs	2lbs	3lbs	1lbs	1lbs	3lbs	17lbs	13lbs	7lbs	4lbs	235lbs
Shipping	8" x 8" x 3"	9" x 9" x 3"	12" x 7" x 5"	10" x 7" x 3"	14" x 4" x 4"	12" x 8" x 9"	46" x 18" x 5"	N/A	N/A	15" x 6" x 6"	N/A

Integration Kits											
	enclosures sold separately	enclosures sold separately	enclosure sold separately	enclosure sold separately			illustration only				HUMIDITY REMOVAL
Model	SOLAR WIND Solar System	SOLAR ECLIPSE Solar System	D2 Outdoor Power Pack	D3 Outdoor Power Pack	XERO Integration Kit for D2, D3, ST	S-Type Outdoor Power Supply	Component Accessory Kit-HV	Component Accessory Kit-LV	Arecont AV Camera Lens Kit	LED Strobe Light Security Kit	Humidity/Moisture Removal Pack
Product #	SOLAR-WIND	SOLAR-ECLIPSE	KT-CDR2	KT-CDR3	KT-XERO	KT-CDR-ST	KT-WACC-HV	KT-WACC-LV	KT-AV8000	KT-STBB	KT-HRC1
MSRP	Call for Price	Call for Price	\$379	\$499	\$299	\$289	\$163	\$163	\$39.68	\$389	\$28
Weight	N/A	N/A	13lbs	N/A	N/A	N/A	2lbs	3lbs	N/A	3lbs	1lbs
Shipping	N/A	N/A	11" x 7" x 5"	N/A	N/A	N/A	10" x 7" x 3"	10" x 7" x 3"	N/A	N/A	8" x 4" x 4"

Dome Cleaner and Lenses											
						OPTICALLY PURE LENS		VANDAL TOUGH LENS		THERMAL IMAGING LENS	
Model	Dome Cleaner Package Pro Kit	Dome Cleaner Head Unit	Dome Cleaner Mitt 3-Pack	Pro-Clean Solution 3 Pack	Dome Cleaner Extension Poke	40X Optically Pure Clear Lens	40X Optically Pure Tinted Lens	Vandal Tough Clear Lens	Vandal Tough Tinted Lens	Polyethylene Thermal Lens	Germanium Thermal Lens
Product #	DW-PKG1	DW-CLNR	DW-3MIT	DW-3PROCL	DW-EP30	KT-CLNS-OP	KT-TLNS-OP	KT-CLNS-VT	KT-TLNS-VT	KT-THERM-PE	KT-THERM-GE
MSRP	\$349	\$60	\$42	\$39	\$227	\$102	\$102	\$102	\$102	\$89	Call for price
Weight	10lbs	1lbs	1lbs	1lbs	1lbs	1lbs	1lbs	1lbs	1lbs	1lbs	1lbs
Shipping	84" x 7" x 7"	18" x 4" x 4"	8" x 8" x 4"	8" x 8" x 4"	84" x 7" x 7"	9" x 9" x 7"	9" x 9" x 7"	9" x 9" x 7"	9" x 9" x 7"	3.8" x 5" x 13"	3.8" x 5" x 13"

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.

1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

2 Shipping Dimensions are shipping boxes sizes and may have slight variations.